



PRODUCING TURKEYS FOR SHOW GUIDE FOR JUNIOR MARKET TURKEY SHOW

A MUST

- Observe and follow all show rules and regulations regarding the purchasing and showing of turkeys
- Use Honor® Show Chow® Branded Products
- Follow recommended management practices during the entire brooding and growing period
- Keep records on all expenses and receipts
- Cull birds closely and select the show entry properly

House Set-up and Pre-brood

- ◆ Inform your Purina® Feed Dealer 2 weeks prior to your needs
- ◆ It is best if you inform your dealer of your feed program/feed types and at which age you will need them. This allows the dealer to plan his order and ensure fresh, quality, feed throughout the grow-out period
- ◆ Allow two square feet per poult for the first four weeks of age
- ◆ Allow at least six square feet per poult from four to eight weeks of age
- ◆ Allow a minimum of seven square feet per **hen** from eight weeks to show
- ◆ Allow a minimum of ten square feet per **tom** from eight weeks to show
- ◆ Place at least 4 inches of litter (pine shavings) throughout the house
- ◆ Place a cardboard brooder guard around feed, water, and heat lamps for the first 5-7 days
- ◆ Adequate house lighting is needed - 24 hour light is necessary through 12 weeks
 - Hens - remove all artificial lights in houses - lighting will increase rate of sexual maturity.
 - Toms - continue to light houses - Tom turkeys will not sexually mature at the rate of hens
- ◆ Place 2-125 watt **RED** heat lamps per 50 poult
- ◆ Have house set-up complete and begin heating the house 3 days prior to receipt of the poults
- ◆ Brood temperature (litter temperature) should be 92° F - 95° F at floor level, 12" from the brooder lamp
- ◆ Water temperature should be 80° F for the first 3 days
- ◆ Bird performance will be negatively impacted if the poults become too warm or cold
- ◆ Keep fresh air in the houses but avoid cold drafty air on the poults
- ◆ Time spent in the turkey house is a major key to the success of your project!!
- ◆ The more the birds are stimulated, the better performance you gain at the show

- ◆ Turkeys do not know they are supposed to eat as much as they can and grow as big as they can
- ◆ You (**along with the help of family members**) have to make them do it!!
- ◆ Each time someone enters the house, shake the feeders, and slowly walk around the house (stirring the litter), and making the birds get up and eat/drink/exercise. The more time spent in the house, the better the birds perform.

It takes TIME, TIME TIME !!!!

Pre-brood Dates

- 2-Weeks Prior - Visit with your Purina® Feed Dealer about feeding plans
 - 1-Week Prior - Set-up and equip the broiler house with litter and all equipment
 - 1-Week Prior - Test all equipment including lights, heat lamps, feeders, waterers, etc.
 - Begin heating the broiler house - the key to a good start
 - 3-Days Prior - Check progress of pre-brood temperatures. Make final adjustments if needed.
 - 2-Days Prior
- NOTE:** 12 hours prior to receiving birds, add feed to feeders
- Prepare vitamin/electrolyte solution and place in waterer.
 - Remember water temperature needs to be 80° F
 - Receive birds and confirm band numbers at time of placement in the house. Call Ag Teacher/CEA within 24 hours of placing the birds if there are discrepancies with band numbers and/or bird health issues.
 - De-snood the poults at day-of-age to help reduce future social and cannibalism pressures in the house.

Week 1

Feeding: Feed Honor® Show Chow® Poultry Prestarter

Management:

Maintain brood temperature at least 90°F

Change water every 24 hours after placement of poults

If birds are dehydrated upon receipt - Add vitamin/electrolytes to water

@ recommended dosage on package for first 48 hours

Week 2

Feeding: Feed Honor® Show Chow® Poultry Prestarter

Management:

Maintain brood temperature at 85°F

Keep fresh water available at all times

10 days of age - spread wing bands open

Weather permitting, allow fresh air into the house

Stir the air with fan if weather does not permit you to ventilate with fresh air. Avoid creating a cool draft on the birds.

Week 3

Feeding: Feed Honor® Show Chow® Poultry Prestarter

Management:

Maintain house temperature at 80°F reducing to 75°F toward end of week

Keep fresh water available at all times

Weather permitting, allow fresh air into the house
If weather does not permit fresh air ventilation, stir air with fan. Avoid creating a cool draft on the birds.

Look at litter condition - Add 2-3 additional bags or clean entire house out and replace with minimal 4" deep throughout house

Vaccinate poualts for Fowl Pox - contact CEA if you need help

Week 4

Feeding: Feed Honor® Show Chow® Poultry Prestarter

Management:

Maintain house temperature at 70°F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Week 5

Feeding: Feed Honor® Show Chow® Poultry Prestarter

Management:

Maintain house temperature at 70°F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating a cool draft on the birds.

Week 6

Feeding: For every 20 lbs. of Honor® Show Chow® Poultry Prestarter

Add 8 oz. High Octane® Power Fuel™ supplement

Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70° F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Look at litter condition - clean house completely out if not done at three weeks of age

Add 3-4 additional bags of litter if the house was cleaned out at 3 weeks of age

(depending on litter condition). Use your best judgment.....**Make sure litter is always clean and dry!!!**

Cull or separate birds to allow for additional floor space (At least six square feet per bird)

Week 7

Feeding: For every 20 lbs. of Honor® Show Chow® Poultry Prestarter

Add 8 oz. High Octane® Power Fuel™ supplement

Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70° F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 8

Feeding: For Every 20 lbs. of Honor® Show Chow® Poultry Prestarter
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show.

Vaccinate Turkeys for Fowl Pox - contact CEA if you need help

Week 9

Feeding: For Every 10 lbs. of Honor® Show Chow® Poultry Starter
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70° F
Keep fresh water available at all times.
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 10

Feeding: For Every 10 lbs. of Honor® Show Chow® Poultry Starter
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Read show rules, regulations and guidelines for showing your Turkey in the show. Contact your CEA if you have questions.

Week 11

Feeding: For Every 10 lbs. of Honor® Show Chow® Poultry Starter
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Cull birds or separate birds to allow for additional floor space requirement (continue through 12 weeks of age)

Hens - At least seven square feet per bird

Toms - At least ten square feet per bird

Week 12

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Starter

Add 8 oz. High Octane® Power Fuel™ supplement

Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70° F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Cull birds or separate birds to allow for additional floor space requirement (continue through 12 weeks of age)

Hens - At least seven square feet per bird

Toms - At least ten square feet per bird

Week 13

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Grower

Add 8 oz. High Octane® Power Fuel™ supplement

Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 14

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Grower

Add 8 oz. High Octane® Power Fuel™ supplement

Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F

Keep fresh water available at all times

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 15

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Grower
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 16

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Grower
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show
Cull birds or separate birds to allow for additional floor space requirement

Hens - At least seven square feet per bird – Minimum 5 Birds Remaining
Toms - At least ten square feet per bird – Minimum 5 Birds Remaining

Week 17

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Finisher
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 18

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Finisher
Add 8 oz. High Octane® Power Fuel™ supplement
Add 8 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F
Keep fresh water available at all times
Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.
Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Week 19 (Continue through till Show date)

Feeding: For Every 8 lbs. of Honor® Show Chow® Poultry Finisher

Add 12 oz. High Octane® Power Fuel™ supplement

Add 12 oz. High Octane® Champion Drive™ supplement

Management:

Maintain house temperature at 70°F

Keep fresh water available at all times.

Weather permitting, allow fresh air ventilation. Stir the air with a fan. Avoid creating cool draft on the birds.

Monitor litter condition - the cleaner the house litter, the cleaner the birds will be at time of show

Day before Show

You probably have a good idea of the bird you are taking to the show at this point!!!

Look at your show quality birds one last time and make a decision based on overall frame size (length, width, depth), fleshing, conformation, and breast taper of the turkey.

Be sure to eliminate birds from your options with defects that will cause you to be disqualified from the show.

Pen Selection

Do not over handle the birds.

Too much feeling, squeezing, and hanging upside down creates stress on the birds and causes birds to soften and possibly die.

Remember, prior to pen selection look for defects that would result in disqualification.

Remove those birds if any and select the top turkey in your pen to take to show.

Mark your first choice turkey on the leg with magic/paint marker. Mark your alternate turkey with a different color or mark for quick identification.

Avoid tie wraps, string or leg bands for identification purposes.