

BUCKEYE
NUTRITION




Mare's Milk Plus[®]

Product No. 30850
50.0 LBS. NET WT. (22.7 Kg)

Product No. 30832
Case of 4/8 lb Plastic Buckets

Complete Milk Replacer for Orphan or Rejected Foals

Balanced, milk-based formula with bioavailable vitamins and trace minerals	Provides an orphan or rejected foal essential nutrients for optimum growth, survival and health
Nutritionally equivalent to mare's milk	Safely provides digestible and absorbable nutrients
Developed for free choice access	Minimizes the risk of digestive upset from over-consumption. Entices the foal to drink 7-10 times per hour, mimicking natural nursing behavior; Once mixed, stable for 12 hours
An easy to mix, highly soluble powder	Dissolves easily in cool tap water



GUARANTEED ANALYSIS

Crude Protein, Min.	21.00%	Zinc, Min.	110 ppm
Crude Fat, Min.	14.00%	Selenium, Min.	0.30 ppm
Crude Fiber, Max.	0.15%	Vitamin A, Min.	12000 IU/lb
Calcium, Min.	0.70%	Vitamin D, Min.	1200 IU/lb
Calcium, Max.	1.20%	Vitamin E, Min.	100 IU/lb
Phosphorus, Min.	0.65%	Ascorbic Acid (Vit. C), Min.	50 IU/lb
Copper, Min.	35 ppm		

INGREDIENTS: Dried Whey Protein Concentrate, Dried Whey, Porcine and Vegetable Fat (preserved with BHA and BHT), Citric Acid, Potassium Sorbate (Preservatives), L-Lysine, Lecithin, Vitamin A Acetate, Vitamin D3 Supplement, Vitamin E Supplement, Ascorbyl-2-Phosphate, Choline Chloride, Folic Acid, Thiamine Mononitrate, Manganese Sulfate, Ferrous Sulfate, Copper Sulfate, Zinc Sulfate, Polysaccharide Complex of Iron, Polysaccharide Complex of Copper, Polysaccharide Complex of Manganese, Polysaccharide Complex of Zinc, Cobalt Sulfate, Calcium Iodate, Sodium Selenite, Magnesium Sulfate, Sodium Silico Aluminate, Mono and Diglycerides of Vegetable Oil, Artificial Flavor.

Trust the Experts in Equine Nutrition
www.BuckeyeNutrition.com
care line: (800) 898-WINS

1. MIXING DIRECTIONS AND AMOUNT TO FEED

Mare's Milk Plus® powder should be mixed with cool tap water, ideally with a wire whisk. Mix as indicated below:

(A plastic cup is enclosed in each bag to measure the powder)

For Healthy Orphan Foals (approximately 110 lbs at birth)

AGE OF FOAL	AMOUNT OF MARES MILK PLUS® SOLUTION TO FEED PER DAY	1 CUP PER QUART (*SCOOP HOLDS 272 GM (.272 KG) OF DRY MILK POWDER	
		WATER	MARES MILK CUPS
WEEKS	QUARTS	QUARTS	CUPS
0-1	5-10	5-10	2.5-5
2	10-14	10-14	5-7
3	14	14	7
4-5	16	16	8
6-7	18-20	18-20	9-10
8-12	WEANING PROCESS TO BEGIN IF FOAL IS CONSUMING ADEQUATE FOAL STARTER PELLETS		

Note: Always keep mixing equipment and buckets scrupulously clean to avoid the risk of infection

Note: Always keep mixing equipment and buckets scrupulously clean to avoid the risk of infection.

2. INTRODUCTION TO MILK:

After colostrum has been fed, introduce the foal to Mare's Milk Plus®. The foal may be fed from a plastic bowl, baby bottle, or lamb bottle. Note: If a nipple is used, make sure the opening is at least 1/2" wide. If the foal is not yet drinking from a bowl or bucket, now is a good time to teach the foal.

Foals will learn to drink quite readily if you place your finger in their mouth, when they start to suck, raise the bowl or shallow bucket containing the Mare's Milk Plus® up to the foal's mouth. Slowly remove your finger from the foal's mouth while the foal is drinking. If the foal stops drinking, repeat the above steps until the foal is drinking by himself or herself. Always bring the milk up to the foal – Do not force the foal's head down into the bucket. Do not expect the foal to drink within one to three hours after removal from the mare.

When the foal drinks without assistance, the bucket can be hung from the stable wall at an appropriate height. The color of the bucket should contrast with the stall wall, for example; use a white bucket against a dark wall.

Start feeding your foal slowly, as would happen naturally. Begin by providing 1/2 the recommended volume from the table above on the first day and increase gradually over the next 10 days to the recommended amount. If the stools become loose, reduce the quantity of Mare's Milk Plus® that you are providing, you may be increasing the amount too fast. If diarrhea persists call your veterinarian.

For Technical Support contact our careline: (800) 898-WINS

3. FREQUENCY OF MIXING

We recommend mixing a fresh supply of milk every 12 hours; however, Mare's Milk Plus® can be mixed as a 24-hour supply. One half can be fed and the other half covered and stored in a cool place until the next feeding. Additionally, we recommend feeding every 12 hours to keep the milk clean and to observe the foal more often. For additional information, please ask for our technical bulletin "Raising the Orphan/Rejected Foal".